

Part No.	Fluid Chambers	Diaphragms	Valve/Ball	Valve Seats	O-Rings	Connection Type
BK-025	Polypropylene	PTFE	PTFE Thermoplastic material that is inert to most chemicals.	Polypropylene	PTFE Thermoplastic material that is inert to most chemicals.	NPT (BSP)
CN-025	Conductive Nylon	PTFE	PTFE	Nylon	PTFE	NPT (BSP)
CN-025B	Conductive Nylon	Geolast®	PTFE	Nylon A non-metallic material, suitable for most solvents and oils.	Geolast® Injection molded thermoplastic material with characteristics similar to Nitrile. Has excellent abrasion resistance.	NPT (BSP)
KN-025	PVDF	PTFE	PTFE	PVDF Polyvinylidene Fluoride suitable in applications requiring the highest purity, strength, and resistance to solvents, acids, bases.	PTFE Thermoplastic material that is inert to most chemicals.	NPT (BSP)
KN-025E	PVDF Polyvinylidene Fluoride suitable in applications requiring the highest purity, strength, and resistance to solvents, acids, bases.	Santoprene®	PTFE	PVDF	EPDM General purpose elastomer with good resistance to many acids and bases.	NPT (BSP)
NC-025	Polypropylene A non-metallic material, suitable for water, caustics, soap solutions, mild acids and general purpose applications.	Geolast® Injection molded thermoplastic material with characteristics similar to Nitrile. Has excellent abrasion resistance.	PTFE	Polypropylene	Nitrile General purpose elastomer used on water and most non synthetic oils.	NPT (BSP)
NC-025E	Polypropylene A non-metallic material, suitable for water, caustics, soap solutions, mild acids and general purpose applications.	Santoprene® Injection molded thermoplastic material with characteristics similar to EPDM. Has excellent abrasion resistance.	PTFE Thermoplastic material that is inert to most chemicals.	Polypropylene	EPDM	NPT (BSP)
RD-025	Nylon A non-metallic material, suitable for most solvents and oils.	PTFE Thermoplastic material that is inert to most chemicals.	PTFE Thermoplastic material that is inert to most chemicals.	Nylon A non-metallic material, suitable for most solvents and oils.	PTFE Thermoplastic material that is inert to most chemicals.	NPT (BSP)
RD-025B	Nylon A non-metallic material, suitable for most solvents and oils.	Geolast® Injection molded thermoplastic material with characteristics similar to Nitrile. Has excellent abrasion resistance.	PTFE Thermoplastic material that is inert to most chemicals.	Nylon	Nitrile General purpose elastomer used on water and most non synthetic oils.	NPT (BSP)