


Innovation + Quality

Regulating valve "Cocon Q" Valve for hydronic balancing and regulation of heating and cooling systems

> made in Germany





Legend:
1 Diaphragm unit
2 Regulating valve
3 Balancing valve unit
4 Handwheel
5 Diaphragm
6 Sleeve

Elective valve lift [%] max.
Flow rate GPM

The Oventrop regulating valve "Cocon Q" is a valve combination consisting of an automatic regulator (nominal value manually adjustable) and a regulating valve. The regulating valve can be equipped with an actuator, temperature controller, or manual head (connection thread M 30×1.5).

1 The valve is used for the hydronic balancing and temperature control of appliances or sections of the system in fan-coil units, central heating, and surface heating systems.

The valve is made of dezincification-resistant brass, and the seals are made of EPDM or PTFE. The valve stem is made of stainless steel.

Models:

- 1/2" up to 1-1/4"
- with or without pressure test points
- Connection:
 - 1 inlet port: union, outlet port: female thread
 - 2 inlet and outlet port: female thread

2 Advantages:

- Small body dimensions.
- Even with the actuator in place, the desired nominal values can be set and controlled with the help of the handwheel which is easily accessible.
- The nominal setting is protected against unauthorized tampering with the help of the lockable handwheel.
- The nominal values can be read in GPM. The nominal value range of the valve is easily viewed on the handwheel
- The pump setting can be optimized with the pressure test points on the valve.

3 Flow

The regulating valve "Cocon Q" has a linear characteristic line which is advantageous when using actuators (electrothermal or electromotive) which also have a linear stroke behavior.

Oventrop Corporation

PO Box 789 29 Kripes Road East Granby, CT 06026 Ph. (860)413-9173

Fx. (860)413-9436 www.oventrop-us.com

3